# LABORATORY

CR56310

764-24/13 Cat. 29

#### RESEARCH ACTIVITIES

Automatic Controls Micronare Circuits Terrain Investigations Radomes Ware Propagation

Antennas Astronautics

Echo Area Studies EM Field Theory Systems Analysis Submillimeter Applications

# UNPUBLISHED PRELIMENARY DATA

NORMALIZATION OF BISTATIC RADAR RETURN

by

Donald E. Barrick

Grant Number NsG-213-61

1388-13

15 January 1964

Prepared for: National Aeronautics & Space Administration Washington 25, D. C.

### Department of ELECTRICAL ENGINEERING



OTS PRICE

1.600 parks XEROX

MICROFILM \$

THE OHIO STATE UNIVERSITY RESEARCH FOUNDATION Columbus, Ohio

#### REPORT

by

# THE OHIO STATE UNIVERSITY RESEARCH FOUNDATION COLUMBUS, OHIO 43212

Sponsor

National Aeronautics & Space Administration

1520 H Street, N.W. Washington 25, D.C.

Grant Number

NsG-213-61

Investigation of

Theoretical and Experimental Analysis of the Electromagnetic Scattering and Radiative Properties of Terrain, with Emphasis on Lunar-Like Surfaces

Subject of Report

Normalization of Bistatic Radar Return

Submitted by

Donald E. Barrick Antenna Laboratory

Department of Electrical Engineering

Date

15 January 1964

#### **ABSTRACT**

24113

Theoretically, the scattering cross-section per unit area of an arbitrary surface can be determined by measurement of the power received, as long as an integration of the incident power density over the surface illuminated can be performed. The class of surfaces considered in this report have an average height which is planar, and the antennas are highly directional and equidistantly placed at various incidence and scattering angles above the surface. The integration is performed for various values of incidence and scattering using the digital computer, and tables of this normalized integral are presented. These tables may then be used to determine the approximate bistatic scattering cross section for such a surface from measurements of the scattered power.

1388-13

#### CONTENTS

		Page
I.	GENERAL PROBLEM FORMULATION	1
II.	SOLUTION OF INTEGRAL FOR A PLANE SURFACE	4
III.	VALUES OF THE INTEGRAL $I(\theta_1, \theta_2, \phi_2)$	8
IV.	DETERMINATION OF SCATTERING CROSS SECTION FROM THE TABLES	13

#### NORMALIZATION OF BISTATIC RADAR RETURN

#### I. GENERAL PROBLEM FORMULATION

One useful parameter in the scattering of waves by extended surfaces is the scattering cross section. This scattering cross section, or, more conveniently, the scattering cross section per unit area of surface,  $\sigma_O(i,s)$ , is a function of the angles of incidence (i) and scattering (s) from any particular element of surface area. Therefore, whenever the transmitting and receiving antennas are relatively near the surface and since the angles of incidence and scattering will differ for the different elements of area making up the surface, this scattering cross section,  $\sigma_O(i,s)$ , is a function of the position of the surface.

In this report, the basis for normalizing bistatic surface return measurements made with pencil beam antennas is presented. A set of tables is provided to interpret a measured power ratio (power returned from surface/power returned from a standard target with a known scattering cross section) as a radar cross section per unit area.

Consider a surface which may or may not contain some degree of roughness. In Fig. 1 the mean height of the surface is considered to be constant, i.e., a plane through which the x-z plane of the coordinate system is shown. The origin of the system is chosen equidistant from both antennas at a distance L. The antennas are aligned with their axes pointing towards the origin. The x-y plane is chosen coincident with the plane containing the incident wave and the normal to the surface.

1388- 13

<sup>\*</sup>Note that this does not restrict the definition of scattering cross section to be applicable only to the case of a mean planar surface. However, for the sake of clarity, and since the planar surface is the case to be treated later in the report, development of the scattering cross section will be done with reference to this figure.




Fig. 1. Geometry of scattering experiment.

The power density of the incident wave at a distance  $r_1$  from the transmitting antenna is given by the expression

$$S_i = \frac{P_T^{G_{MT}} f_{T}(\psi_1)}{4\pi r_1^2}$$
.

 $P_T$  is the total power emitted by the transmitter,  $f_T(\psi_1)$  is the normalized "power gain function" of the antenna,  $^1$  and  $G_{MT}$  is the maximum gain of the antenna. Note that the antenna considered here has a gain function rotationally symmetrical about the antenna axis.  $^{\ast}$ 

<sup>\*</sup> This is often not exactly the case with actual antennas, but an average may be taken at various rotated positions for each conical angle  $\psi$ , so that an average  $f(\psi)$  may be computed for the antenna.

The scattering cross section per unit area,  $\sigma_0$ , may be defined by the following relation, where  $dS_s$  is the power density of the scattered wave at a distance  $r_2$  from the scattering surface element dA:

$$\sigma_{O}(i,s) = \frac{4\pi r_{2}^{2} dS_{s}}{dA S_{i}} .$$

Therefore,

$$dS_{s} = \frac{\sigma_{o}(i, s) S_{i} dA}{4\pi r_{2}^{2}} = \frac{P_{T} G_{MT} f_{T}(\psi_{1}) \sigma_{o}(i, s) dA}{(4\pi)^{2} r_{1}^{2} r_{2}^{2}}$$

The relationship between the scattered power density,  $dS_s$ , at the receiver and the increment of power received by the antenna,  $dP_R$ , due to scattering by the given increment of surface area dA is given by  $dP_R = A_R dS_s$ , where  $A_R$  is the aperture or receiving cross section of the antenna. Since

$$A_{R} = \frac{\lambda^{2} G_{MR} f_{R}(\psi_{2})}{4\pi} ,$$

where  $f_R(\psi_2)$  and  $G_{MR}$  have the same significance for the receiving antenna as the corresponding quantities had for the transmitting antenna, the equation giving the increment of power received, scattered from the increment of surface area dA, is

$$dP_{R} = P_{T} \frac{\lambda^{2}}{(4\pi)^{3}} G_{MR} G_{MT} \frac{\sigma_{O}(i, s) f_{T}(\psi_{1}) f_{R}(\psi_{2}) dA}{r_{1}^{2} r_{2}^{2}}.$$

The total power received, scattered by the entire surface, is therefore

$$P_{R} = P_{T} \frac{\lambda^{2}}{(4\pi)^{3}} G_{MR} G_{MT} \int \frac{f_{T}(\psi_{1}) f_{R}(\psi_{2}) \sigma_{O}(i,s)}{r_{1}^{2} r_{2}^{2}} dA$$
.

SURF.

ILLUMINATED

Since it is based on the definition of  $\sigma_{O}(i,s)$ , this expression is valid for a surface having any arbitrary shape. It is, in fact, an integral equation relating received power and surface scattering properties. In principle, by measuring the transmitted and received power for all antenna positions, one can solve this integral equation and determine the scattering cross section,  $\sigma_{O}(i,s)$ . Practically, however, solution of this equation is impractical, if not impossible, unless certain restrictions and assumptions are permitted. In the following section, the case mentioned previously of the mean planar surface will be treated, and the restrictions and assumptions applicable will be developed.

# II. SOLUTION OF INTEGRAL FOR A PLANE SURFACE

In certain scattering problems, the effective area illuminated can have an average surface height which is planar, as shown in Fig. 1. Polar coordinates  $\rho$  and  $\alpha$  are used to describe the mean planar surface used as a reference. The first approximation made is that if the surface is rough, the root-mean square height of a point on the surface above the reference plane is much less than the distance from the origin to the antenna. In this case, integration can be carried out over the plane reference surface instead of the actual rough surface, since  $\rho$  and  $\alpha$  will not be appreciably different for a point on the reference surface and the corresponding point above or below it on the actual surface, in the illuminated area.

Since the antennas are highly directional,  $f_T(\psi_1)$  and  $f_R(\psi_2)$  fall off rapidly, and, in most cases, have their half-power points only one or two degrees on either side of the antenna axis. Thus, only a relatively small area around the coordinate origin is illuminated, and, in this area, the angles of incidence do not change appreciably between any two increments of area. Therefore, the second approximation made is that the scattering cross section,  $\sigma_O(i,s)$ , is effectively constant over the illuminated area and may be removed from under the integral sign. In this case,  $\sigma_O(i,s) \gtrsim \sigma_O(\theta_1,\theta_2,\phi_2)$ ,

$$P_{R} = P_{T} \frac{\lambda^{2}}{(4\pi)^{3}} G_{MR} G_{MT} G_{O}(\theta_{1}, \theta_{2}, \phi_{2})$$

$$\int_{0}^{2\pi} \int_{0}^{\infty} \frac{f_{T}(\psi_{1}) f_{R}(\psi_{2})}{r_{1}^{2} r_{2}^{2}} \rho d\rho d\alpha$$

1388-13

At this point  $r_1$ ,  $r_2$ ,  $f_T(\psi_1)$  and  $f_R(\psi_2)$  will be expressed in terms of  $\rho$  and  $\alpha$ . The steps will be listed briefly and the reasoning will follow.

From the figure,

$$\cos \beta_1 = -\sin \theta_1 \cos \alpha$$

$$\cos \beta_2 = \sin \theta_2 \cos \phi_2 \cos \alpha$$

$$+\sin \theta_2 \sin \phi_2 \sin \alpha$$

$$= \sin \theta_2 \cos (\phi_2 - \alpha)$$

Definition of cosine of angle by dot product of two vectors

The antenna gain patterns may be determined by experiment and normalized to give plots of  $f_T(\psi_1)$  and  $f_R(\psi_2)$  versus  $\psi_1$  and  $\psi_2$ . Then approximate mathematical curves may be fitted to these points. A fairly satisfactory function in the case of many pencil beam antennas is

$$f_{\mathbf{T}}(\psi_1) = \epsilon^{-\mathbf{A}(1-\cos\psi_1)} \approx \epsilon^{-\mathbf{A}\frac{\psi_1^2}{2}};$$

$$f_{\mathbf{R}}(\psi_2) = \epsilon^{-\mathbf{B}(1-\cos\psi_2)} \approx \epsilon^{-\mathbf{B}\frac{\psi_2^2}{2}};$$

where A and B are large positive constants. With the antennas considered here, it was found that  $A=B \approx 1100$ . However, A and B can vary from this considerably without appreciably affecting the value of the integral. Since  $f_T(\psi_1)$  and  $f_R(\psi_2)$  are significant only at small angles (they fall off 3 db at  $\psi=2^0$  in this case), in this range,  $\psi_1 \approx \sin \psi_1$  and  $\psi_2 \approx \sin \psi_2$ .

$$\begin{vmatrix}
\sin \psi_1 &= \frac{\rho}{r_1} & \sin \beta_1 \\
\sin \psi_2 &= \frac{\rho}{r_2} & \sin \beta_2
\end{vmatrix}$$
Law of Sines

$$\psi_1 \approx \sin \psi_1 = \frac{\rho}{r_1} \sin \left[\cos^{-1} \left(-\sin \theta_1 \cos \alpha\right)\right]$$

$$= \frac{\rho}{r_1} \sqrt{1 - \sin^2 \theta_1 \cos^2 \alpha}$$

$$\psi_{1}^{2} \approx \frac{\rho^{2} (1 - \sin^{2} \theta_{1} \cos^{2} \alpha)}{L^{2} + \rho^{2} + 2L\rho \sin \theta_{1} \cos \alpha}$$

$$\psi_{2} \approx \sin \psi_{2} = \frac{\rho}{r_{2}} \sin \left[\cos^{-1}\left(\sin \theta_{2} \cos(\phi_{2} - \alpha)\right)\right]$$

$$= \frac{\rho}{r_{2}} \sqrt{1 - \sin^{2}\theta_{2} \cos^{2}\left(\phi_{2} - \alpha\right)}$$

$$\psi_{2}^{2} \approx \frac{\rho^{2} \left(1 - \sin^{2} \theta_{2} \cos^{2} \left(\phi_{2} - \alpha\right)\right)}{L^{2} + \rho^{2} - 2L\rho \sin \theta_{2} \cos \left(\phi_{2} - \alpha\right)},$$

$$f_{R}(\psi_{2}) \stackrel{\sim}{\sim} \epsilon^{-\frac{B}{2}} \frac{\rho^{2} (1 - \sin^{2} \theta_{2} \cos^{2} (\phi_{2} - \alpha))}{L^{2} + \rho^{2} - 2L\rho \sin \theta_{2} \cos (\phi_{2} - \alpha)},$$

 $d\rho d\alpha$  .

All lengths in the integral can be normalized by a change of variable to a dimensionless ratio,  $x = \rho/L$ ,

At this point, values of the integral  $I(\theta_1, \theta_2, \phi_2)$  were computed at various scattering angles  $\theta_1$ ,  $\theta_2$ , and  $\phi_2$  using the 7090 Digital Computer and SCRATRAN programming. The upper limit on the integral in x was set at 0.15 instead of infinity, since, at this value, and with angles  $\theta_1$  and  $\theta_2$  less than  $60^{\circ}$ ,  $\psi_1$  and  $\psi_2$  are always greater than  $5^{\circ}$ , making the magnitude of the integrand negligible. At angles  $\theta_1$  and  $\theta_2$  of  $80^{\circ}$ , a slight error, exceeding no more than 8%, is present due to this integral limit on x.

The values of the integral  $I(\theta_1, \theta_2, \phi_2)$  are tabulated in the next section and their use is discussed in Section IV.

VALUES OF THE INTEGRAL  $I(\theta_1, \theta_2, \phi_2)$ III.

<u>s</u>		80 DEG.0	0.0043251	0.0042865	0.0042210	0.0041758	0.0041548	0.0041541	0.0041722	0.0042095	0.0042570	0.0042816
EGRAL APPEARING IN RECEIVER/IRANSMITTER GAIN EOR VARIOUS ANTENNA POSIFIONS	TING=PHI 2	70 DEG.	l i	0.0041042		0.0040122 0.0041758	0.0039935	0.0039927 0.0041541	0.0037943 0.0040090 0.0041722	0.0040415	0.0040813	0.0041012 0.0042816
A VARIOUS ANT	VERTICAL LISTING=PHI 2	60 DEG.	0.0038852 0.0041335	0,0038658	0.0035988 0.0038278 0.0040513	0.0037971	0,0037814	0.0037808	0,0037943	0.0038203	0,0038502	0.0038645
TER GAIN FOR		50 DEG	0.0036352	0.0036235	0,0035988	0.0035768	0.0035648	0.0035643	0.0035746	0.0035934	0.0036137	0.0036230
VER/TRANSMIT	NG=IHEIA 2	40 DEG.	0.0034163	0.0034098	0.0033952	0.0033810	0.0033728	0.0033723	0.0033793	0.0033916	0.0034040	0.0034094
ING IN RECEI	HORIZONTAL LISTING=THETA 2	30 DEG.	0.0032430	0.0032398	0.0032322	0,0032242	0.0032193	0.0032189	0.0032230	0.0032299	0.0032365	0.0032393
EGRAL APPEAR	HORI	20 DEG.	0.0031196	0.0031183	0.0031151	0.0031116	0.0031092	0.0031090	0.0031108	0.0031138	0.0031166	0.0031177
	0 DEG.	10 DEG.	0.0030462	0.0030458	0.0030450	0.0030441	0.0030435	0.0030433	0.0030437	0.0030445	0.0030451	0.0030454
EVALUATION OF SIRFACE IN	THETA 1= 0 DEG.	O DEG.	0.0030216	0.0030216	0.0030216	0.0030216	0.0030216	0.0030216	0.0030216	0.0030216	0.0030216	0.0030216
E			O DEG.	20 DEG.	40 DEG.	60 DEG.	80 DEG.	100 DEG.	120 DEG.	140 DEG.	160 DEG.	180 DEG.

TA 1=	THETA 1= 0 DEG.	HOR	HORIZONIAL LISTING=THETA	ING=THEIA_2		VERTICAL_LISTING=PHI	STING=PHI 2	
0 DEG.	10 DEG.	20 DEG.	30 DEG.	40 DEG.	50 DEG	60 DEG.	70 DEG.	80 DEG.0
0.0030216	0.0030462	0.0031196	0.0032430	0.0034163	0.0036352	0.0038852	0.0041335	0.0043251
0.0030216	0.0030458	0.0031183	0.0032398	0.0034098	0.0036235	0.0038658	0.0041042	0.0042865
0.0030216	0.0030450	0.0031151	0.0032322	0.0033952	0.0035988	0.0038278	0.0040513	0.0042210
0.0030216	0.0030441	0.0031116	0.0032242	0.0033810	0.0035768	0.0037971	0.0040122	0.0041758
0.0030216	0.0030435	0.0031092	0.0032193	0.0033728	0.0035648	0.0037814	0.0039935	0.0041548
0.0030216	0.0030433	0.0031090	0.0032189	0.0033723	0.0035643	0.0037808	0.0039927	0.0041541
0.0030216	0.0030437	0.0031108	0.0032230	0.0033793	0.0035746	0.0037943	060050000	0.0041722
0.0030216	0.0030445	0.0031138	0.0032299	0.0033916	0.0035934	0.0038203	0.0040415	0.0042095
0.0030216	0.0030451	0.0031166	0.0032365	0.0034040	0.0036137	0.0038502	0.0040813	0.0042570
0.0030216	0.0030454	0.0031177	0.0032393	0.0034094	0.0036230	0.0038645	0.0041012	0.0042816
T V 1=	THETA 1=10 DEG	aum	HODIZONIA 1 15T	1 FOT INC = THETA 2		VEDITCALLE	- 1	
1 V I=	IO DEG.	HUK		- 1		VERTICAL LISTING=PHI	STING=PHI 2	
O DEG.	10 DEG.	20 DEG.	30 DEG.	40 DEG.	50 DEG	60 DEG.	70 DEG.	80 DEG.0
0.0030454	0.0030704	0.0031456	0.0032721	0.0034504	0.0036765	0.0039363	0.0041962	0.0043983
0.0030454	0.0030700	0.0031441	0.0032684	0.0034429	0.0036630	0.0039137	0.0041619	0.0043527
0.0030454	0.0030691	0.0031404	0.0032596	0.0034259	0.0036340	0.0038687	0.0040987	0.0042740
0.0030454	0.0030681	0.0031363	0.0032503	0.0034092	0.0036076	0,0038312	0.0040499	0.0042165
0.0030454	0.0030674	0.0031337	0.0032446	0.0033994	0.0035930	0.0038114	0.0040253	0.0041882
0.0030454	0.0030673	0.0031335	0.0032443	0.0033990	0.0035926	0.0038109	0.0040246	0.0041872
0.0030454	0.0030678	0.0031357	0.0032494	0.0034079	0.0036058	0.0038287	0.0040466	0.0042123
0.0030454	0.0030687	0.0031394	0.0032578	0.0034230	0.0036293	0.0038617	0.0040887	0.0042612
0.0030454	0.0030695	0.0031428	0.0032658	0.0034379	0.0036540	0.0038983	0.0041380	0.004 3205
0.0030454	0.0030698	0.0031441	0.0032690	0.0034443	0.0036650	0.0039156	0.0041622	0.0043506

SNC		80 DEG.0	0.0046241	0.0045570	0,0044365	0.0043405	0.0042893	0.0042882	0.0043357	0.0044220	0.0045196	0.0045671
TENNA POSITIC	TING=PHI 2	70 DEG.	1986,000.0	0.0043397	0.0042443 0.0044365	0.0041649	0.0041221	0.0041215	0.0041618	0.0042341	0.0043137	0.0043515
EVALUATION OF SURFACE INTEGRAL APPEAKING IN RECEIVERZTRANSMITTER GAIN FOR VARIOUS ANTENNA POSITIONS	VERTICAL LISTING=PHI 2	60 DEG.	0.0040941 0.0043897	0.0017847 0.0040615 0.0043397	0.0037421 0.0039947	0.0037018 0.0039354 0.0041649	0.0036788 0.0039027 0.0041221	0.0032080 0.0033216 0.0034802 0.0036786 0.0039024 0.0041215	0.0039336	0,0019883	0.0037766 0.0040462	0.0040727
ITER GAIN FO		50 DEG	0.0038041	0.0037847	0.0037421	0,0037018	0.0036788	0.0036786	0.0032116 0.0033296 0.0034944 0.0037007 0.0049336	0.0037385	0.0047766	0.0037934 0.0040727
IVER/TRANSMI	ING=THEIA 2	40 DEG.	0.0032251 0.0033616 0.0035554 0.0038041	0.0033563 0.0035448	0.0035201	0.0034951	0.0034803	0.0034802	0.0034944	0.0035180	0.0033545 0.0035408	0.0033594 0.0035504
AING IN RECE	HORIZONIAL LISTING=THETA 2	30 DEG.	0.0033616	!	0.0033436	0.0033301	0.0033218	0.0033216	0.0033296	0.0033425	0.0033545	0.0033594
TEGRAL APPEAL	HOR	20 DEG.	0.0032251	0.0032230	0.0032177	0.0032119	0.0032081	0.0032080	0.0032116	0.0032171	0.0032221	0.0032242
F SURFACE IN	20 DEG.	10 DEG.	0.0031177 0.0031444	0.0031439	0.0031427	0.0031412	0.0031177 0.0031403	0.0031402	0.0031411	0.0031424	0.0031436	0.0031441
VALUATION O	THETA 1=20 DEG.	0 DEG.	0.0031177	0.0031177	0.0031177 0.0031427	0.0031177 0.0031412	0.0031177	0.0031177	0.0031177 0.0031411	0.0031177	0.0031177	0.0031177
			0 DEG.	20 DEG.	40 DEG.	60 DEG.	80 DEG.	100 DEG.	120 DEG.	140 DEG.	160 DEG.	180 DEG.

	80 DEC.0	0.0050436	0.0049298	0.0047233	0.0045525	0.0044593	0.0044582	0.0045477	0.0047075	0.0048841	0.0049692
TING=PHI 2	70 DEG.	0.0047420	0.0046595	0.0044994	0.0043613	0.0042849	0.0042845	0.0041121 0.0043589	0.0042083 0.0044897	0.0046306	0.0046967
VERTICAL LISTING=PHI 2	60 DEG.	0.0040272 0.0043753 0.0047420	0.0043228	0.0039280 0.0042131 0.0044994	0.0038616 0.0041128	0.0040562	0.0040562	1 3	0.0042083	0.0043081	0.0043531
	50 DEG	0.0040272	0.0039965	0.0039280	0.0038616	0.0038229	0.0038231	0.0038616	0.0039260	0.0034901	0.0040179
ING=THETA 2	40 DEG.	0.0037364	0.0037197	0.0036806	0.0036405	0.0036164	0.0036165	0.0036406	0.0036798	0.0037173	0.0035130 0.0037330
HURIZONTAL LISTING=THETA 2	30 DEG.	0.0035141	0.0035059	0.0034859	0.00333990 0.0034646 0.0036405	0.0034514	0.0034515	0.0034648	0.0034853	0.0035051	0.0035150
HUR	20 DEG.	0.0033595	0.0033562	0.0033480	0.0033390	0.0033333	0.0033335	1666600.0	0.0033481	0.0033561	0.0033594
30 DEG.	10 DEG.	0.0032690	0.0032682	0.0032663	0.0032641	0.0032627	0.0032627	0.0032641	0.0032663	0.0032683	0.0032690
THETA 1=30 DEG.	0 DEG.	0.0032393	20 DEG. 0.0032393	0.0032393	0.0032393 0.0032641	0.0032393	0.0032393	0.0032393	0.0032393	0.0032393	0.0032393
		O DEG.	20 DEG.	40 DEG.	60 DEG.	80 DEG.	100 DEG.	120 DEG.	140 DEG.	160 DEG.	180 DEG.

EVALUATION OF SURFACE INTEGRAL APPEARING IN RECEIVER/TRANSMITTER GAIN FOR VARIOUS ANTENNA POSITIONS

0 DEG.         10 DEG.         20 DEG.         30 DEG.         40 DEG.         50 DEG.         60 DEG.         70 DEG.         70 DEG.         80 DEG.         10 DEG.         60 DEG.         10 DEG. <t< th=""><th></th><th>THETA 1=40 DEG.</th><th>40 DEG.</th><th>HOK</th><th>HORIZONTAL LISTING= THETA 2</th><th>ING=THETA 2</th><th></th><th>VERTICAL LISTING=PHI 2</th><th>STING=PHI 2</th><th></th></t<>		THETA 1=40 DEG.	40 DEG.	HOK	HORIZONTAL LISTING= THETA 2	ING=THETA 2		VERTICAL LISTING=PHI 2	STING=PHI 2	
0.0034094         0.0034438         0.0037321         0.0040001         0.0043607         0.0053080           0.0034094         0.0034438         0.00354321         0.0040001         0.0043102         0.0047205         0.0051618           0.0034094         0.0034436         0.0035315         0.0038458         0.0043102         0.004852         0.004852           0.0034094         0.0034362         0.0036517         0.0038458         0.0040249         0.0042713         0.004852           0.0034094         0.0034362         0.0036539         0.0038458         0.0040249         0.0042713         0.0045131           0.0034094         0.0034362         0.0036334         0.0038675         0.0040249         0.0042713         0.0045131           0.0034094         0.0034365         0.0036549         0.0038671         0.0040901         0.0042713         0.0046429           0.0034094         0.0034365         0.0036549         0.0038671         0.0040901         0.0045336         0.0046429           0.0034094         0.0034431         0.0035532         0.0034302         0.0034303         0.00443071         0.0045365         0.00443071         0.0045365         0.00443071		O DEG.		20 DEG.	30 056.	40 DEG.	50 DEG	60 DEG.	. 70 DEG.	80 DEG.0
0.0034094         0.0034426         0.0035443         0.0037192         0.0039733         0.0043102         0.0047205         0.0004822           0.0034094         0.0034436         0.0035517         0.0036539         0.0038458         0.0040377         0.0045352         0.0046436           0.0034094         0.0034361         0.0035173         0.0036539         0.0038458         0.0040249         0.00437113         0.0046436           0.0034094         0.0034341         0.0035084         0.0036334         0.0038075         0.0040249         0.00427113         0.0045131           0.0034094         0.0034342         0.0035086         0.0036534         0.0038471         0.0040256         0.0045132           0.0034094         0.0034365         0.0036549         0.0038471         0.0041935         0.0045336         0.0046429           0.0034094         0.0034431         0.0035323         0.0033089         0.0034431         0.00354431         0.00354431         0.00354431         0.0034443         0.0034443         0.00344443         0.00344443         0.00344443         0.00344443         0.00344443         0.00344443         0.00349495         0.00349495         0.00443545         0.0047383         0.0055530	O DEG.		0.0034438	0.0035495	0.0037321	0.0040001	0.0043607	0.0048097	0.0053080	0.0057443
0.0034094         0.0034436         0.0035315         0.0036877         0.004977         0.0045352         0.0048522           0.0034094         0.0034362         0.0035173         0.0036539         0.0038458         0.0040249         0.0042713         0.0046436           0.0034094         0.0034341         0.0035084         0.0036334         0.00340249         0.0042713         0.0045131           0.0034094         0.0034342         0.0035084         0.0036334         0.0034075         0.00402713         0.0045131           0.0034094         0.0034365         0.0035549         0.0038471         0.0040256         0.0045137           0.0034094         0.0034365         0.0036549         0.0038471         0.0040256         0.004535         0.0046429           0.0034094         0.0034409         0.0035549         0.0035549         0.00345451         0.004535         0.004536         0.004536         0.004536           0.0034094         0.0034443         0.0035230         0.0034995         0.0045545         0.0047383         0.0052530	20 DEG.		1 1	0.0035443	0.0037192	0.0039733	0.0043102	0.0047205	0.0051618	0.0055322
0.0034094         0.0034462         0.0035173         0.0036539         0.0038458         0.0040249         0.0042713         0.0046713           0.0034094         0.0034341         0.0035084         0.0036330         0.0038070         0.0040249         0.0042713         0.0045131           0.0034094         0.0034342         0.0035084         0.0036347         0.0040250         0.0042719         0.0045132           0.0034094         0.0034365         0.0035549         0.0038471         0.0041935         0.0045429           0.0034094         0.0034400         0.0035323         0.0037202         0.0039735         0.00441935         0.0045336         0.0045130           0.0034094         0.0034431         0.00355452         0.0037202         0.0039735         0.00443071         0.0045384         0.0045384	40 DEG.	0.0034094	0.0034396	0.0035315	0.0036877	0.0039104	0.0041977	0.0045352	0.0048822	0.0051604
0.0034094         0.0034341         0.0035084         0.0036336         0.0038070         0.0040249         0.0042713         0.0045131           0.0034094         0.0034342         0.0035340         0.0035086         0.0036349         0.0038471         0.0040256         0.0045132           0.0034094         0.0034365         0.0035180         0.0036549         0.0038471         0.0040901         0.0043675         0.0046429           0.0034094         0.0034406         0.0035323         0.0036689         0.0039117         0.0041935         0.0048748         0.0048738         0.0048748           0.0034094         0.0034431         0.0035322         0.0037202         0.0039735         0.00441945         0.0034738         0.0037383         0.00352530	60 DEG.	0.0034094	0.0034362	0.0035173	0.0036539	0.0038458	0.0040884	0.0043663	0.0046436	0.0048590
0.0034094         0.0034342         0.003534         0.0038675         0.0040256         0.0042719         0.0045132           0.0034094         0.0034365         0.0035180         0.0036549         0.0038471         0.0040901         0.0043675         0.0046429           0.0034094         0.0034409         0.0035323         0.0036889         0.0039117         0.0041935         0.0045336         0.0048748           0.0034094         0.0034431         0.0035452         0.0037202         0.0039735         0.0043645         0.0037383         0.0037383         0.0037383         0.0037383         0.0035530	80 DEG.	0.0034094	0.0034341	0.0035084	0.0036330	0,0038070	0.0040249	0.5042713	0.0045131	0.0046978
0.0034094         0.0034494         0.0034494         0.0034491         0.004491         0.0043675         0.0046429           0.0034094         0.0034494         0.0035323         0.0036589         0.0039117         0.0041935         0.0045336         0.0048748           0.0034094         0.0034443         0.0035564         0.003730         0.0039995         0.0043545         0.0055530	100 DEG.	0.0034094		0.0035086		0.0038075	0,0040256	0.0042719	0.0045132	0.0046970
0.0034094         0.0034400         0.0045323         0.0036889         0.0039117         0.0041935         0.0045336         0.0045748           0.0034094         0.0034443         0.0035452         0.0037202         0.0039735         0.0044547         0.0052530	120 066.	0.0034094	0.0034365	0.0035180	0.0036549	0.0038471	0.0040901	0.0043675	6.0046429	0.0048551
0.0034094         0.0034443         0.0035452         0.0037202         0.0039735         0.0043071         0.0047084         0.0052530	140 DEG.		0.0034400	0.0035323	0.0036889	0.0039117	0.0041935	0.0045336	0.0048748	0.0051441
0.0035564 0.0037330 0.0039995 0.0043545 0.0047383 0.0052530_	160 056.			0.0035452	0.0037202	0.0039735	0.0043071	5802500*0	0.0051306	0.0054741
	180 DEG.	0.0034094	0.0034443	0.0035564	0.0037330	0.0039995	0.0043545	0.0047385	0.0052530	0.0050378

	THETA 1=50 DEG.	50 DEG.	HOR	HORIZONTAL LISTING=THE TA 2	NG=THE (A 2		VERITGAL LISTING=PHI 2	ST136=PHI 2	
	0 DEG.	10 DEG.	20 DEG.	30 CEG.	40 DEG.	50 DEG		70 056.	30 DEC•
0 DEG.	1	0.0036230 0.0036639	0.0037910	6.6037910 0.0046143	0.0043505	0.0043208	0.0054408	0.0061861	5006900*3
20 DEG.	20 DEG. 0.0036230 0.0036620	0.0036620	0.0037831	0.0039942	0.0043078	0.0047374	0.0052850	0.0009104	0.0004717
40 DEG.	0.0036230	0.0036575	0.0037635	0.0037635 0.0039453	0.0042081	0.0045539	0.0049709	6.0054134	6.0057815
60 DEG.	60 DEG. 0.0036230 0.0036524	0.0036524	0.0037419 0.0038931	0.0038931	0.0041068	0.0043790	0.0046938	0.0050117	0.0052618
80 DEG.	80 DEG. 0.0036230 0.0036492	0.0036492	0.0037283	0.0037283 0.0038610	0.0040464	0.0042789	0.0045419	C.0043005	0.0049981
100 DEG.	0.0036230	0.0036230 0.0036494	0.0037287	0.0037287 0.0038617	0,0040475	0.0042803	0.0045434	6.0948014	186650000
120 DEG.	120 DEG. 0.0036230 0.0036530	0.0036530	0.0037432			0.0043830	0.0046980	0.0056141	0.0092603
140 DEG.		0.0036230 0.0036584	0.6037654	0.0039483	0.0042125	0.0045593	0.0049755	0.0054127	0.0057684
160 DEG.	0.0036230	0.0030631	0.0037854	0.0039970	0.0043122	0.0047408	6.0052807		9796900-0
180 DEG.	0.0036230	0.0036650	0.0037934	6.0040179	!	0.0048216	0.0054381		0.0067334

10 UEG.         20 UEG.         40 DEG.         50 UEG.           0.0039138         0.000000         0.0043466         0.0047782         0.0054127           0.0039112         0.0040573         0.0043163         0.0047119         0.0052765           0.0039046         0.0040285         0.0042434         0.0045593         0.0044852           0.0038971         0.0039969         0.0041662         0.0044070         0.0047166
80 DEG. 0.0038645 0.0038924 0.0039771 0.0041191
140 DEG. 0.0038645 0.0039059 0.0040314
0.0039128 0.0040608
0.0038645 0.0039156 0.0040727

	80 0,550	0.0118525	0.0099605	0.0076182	0.0062564	0.0056767	0.0056781	0.0067612	0.0076280	0.0098820	0.0114658
TING=PHI 2	70 556.	6.0094158	0.0084061	9406300-0	£906500*0	0.0054490	6.0054514	0.0059159	0.0069285	0.0084158	0.0093387
VERTICAL LISTING=PHI 2	60 DEG.	0.0074222	0.0059567	0.0061207	0+0054742	0.0051518	0.0051546	0.0054843	0.0061432	0.0069867	0.0074421
	50 DEG	0.0066953	0.0058830	0.0054443	0.0030586	0.0048503	0.0048526	0.0050665	0.0054601	0.0059048	0.0061183
ING= THE TA 2	40 DEG.	0.0052389	0.0001416	0.0049218	0.0047077	0.0045843	0.0045861	0.0047131	0.0049313	0.0051545	0.0052530
HURIZONTAL LISTING=THETA 2	30 UES.	0.0046887	0.0046460	0.0045439	0.0044372	0.0043726	6.0042220 0.0043737	0.0042504 0.0044407	0.0045496	0.0046534	1969500-0
HUR	20 DEG.	0.0043471	0.0043311	0.0042916	0.0042484	0.0042213	0.0042220	0.0042504	0.0042948	0.0043352	040043515
70 DEG.	10 DEG.	0.0041602	0.0041560	0.0041476	0.0041375	0.0041311	0.0041314	0.0041384	0.0041491	0.0041584	0.0041622
THETA 1=70 DEG.	0 DEG.	0.0041012 0.0041602	0.0041012	0.0041012	60 DEG. 0.0041012 0.0041375	0.0041012 0.0041311	0.0041012 0.0041314	120 UEG. 0.0041012 0.0041384	0.0041012 0.0041491	0.0041012	0.0041012 0.0041622
		O DEG.	20 DEG.	40 DEG.	60 DEG.	80 DEG.	100 DEG.	120 UEG.	140 DEG.	160 DEG.	180 DEG.

	THETA 1=80 DEG.	80 DEG.	нок	HOKIZONTAL LISTING=THETA 2	ING=IHEIA 2		VERTICAL LISTING=PHI.2	STING=PHI 2	
	0 DEG.	10 DEG.	20 DEG.	30 DES.	40 DEG.	50 DEG	60 DEG.	60 DEG. 70 DEG.	80 DEG.0
O DEG.	0.0042816	0.0043490	0.0045636	0.0049628	C.0056263	0.0067147	0.0085379	C.0056263 0.0067147 0.0085379 0.0115483 0.0155431	0.0155431
20 DEG.	0.0042816	0.0043446	0.0045437	0.0045437 0.0049084	0.0054978	0.0054978 0.0064178	0.0078342	0.0078342 0.0098922 0.0122522	0.0122522
40 DEG.	0.0042816	0.0043334	0.0044945	0.0047795	0.0052127	0.0058266	0.0058266 0.0066460	0.0076344 0.0085698	0.0085698
60 DEG.	0.0042816	0.0043209	0.0044410	0.0046462	0.0049416	0.0053279	0.0057902	0.0027902 0.0062765	0.0066753
80 DEG.	0.0042816	0.0042816 0.0043129	0.0044074	0.0045660	0.0047880	0.0050670	0.0053836	11	0.0056959 0.0059355
100 DEG.	0.0042816	0.0043131	0.0044079	0.0045670	0.0047895	0.0050691 0.0053861	0.0053861	0.0055980 0.0059364	0.0059364
120 DEG.	0.0042816	0.0043216	0.0044426	0.0044426 0.0046490	0.0049462	0.0053349 0.0057993	0.0057993	0.0062851	0.0066785
140 DEG.	0.0042816	0.0043346	0.0044972	0.0044972 0.0047841	0.0052207	0.0058401	0.0066673	0.0076593 0.0085828	0.0085828
160 DEG.	0.0042816	0.0043460	0.0045470	0.0049144	0.0055084	0.0064364 0.0078621	0.0078621	0.00099084 0.0121983	0.0121983
180 DEG.	0.0042816	0.004 \$206	0.0045671	0.0045671 0.0049692	0.0056378	0.0067334	9154800-0	0.0067334 0.0085519 0.011465x 0.0151546	0.0151546

# IV. DETERMINATION OF SCATTERING CROSS SECTION FROM THE TABLES

From the tables in Section III, the values of scattering cross section for various angles of incidence and scattering can be determined readily. Even in cases where the pencil beam antennas used have somewhat different normalized gain functions,  $f(\psi)$ , these tables will still be fairly accurate due to the extremely narrow concentration of beam power.

The scattering cross section can be determined by measuring transmitted and received power with the following formula:

$$\sigma_{O}(\theta_{1}, \theta_{2}, \theta_{3}) = \frac{(4\pi)^{3} L^{2}}{\lambda^{2}} \frac{P_{R}}{P_{T}} \cdot \frac{1}{G_{MR}G_{MT} I(\theta_{1}, \theta_{2}, \phi_{2})}.$$

However, the more common and convenient procedure is to compare the received power to that received from a standard target having a known scattering cross section,  $\sigma_s$ , where  $\sigma_s$  represents an actual cross sectional area and is not dimensionless. In this case, the relationship between power transmitted and received from the standard target is

$$P_{RS} = P_T \frac{G_{MR} G_{MT} \lambda^2}{(4\pi)^3 L^4} \sigma_s ,$$

where the target is located an equal distance, L, from both transmitter and receiver. Multiplying the original expression of  $\sigma_0(\theta_1,\theta_2,\phi_2)$  by this equation, one arrives at the relationship

$$\sigma_{O}(\theta_{1},\theta_{2},\varphi_{2}) = \left(\frac{\sigma_{S}}{L^{2}}\right) \left(\frac{P_{R}}{P_{RS}}\right) \frac{1}{I(\theta_{1},\theta_{2},\varphi_{2})} \quad .$$

Thus, the scattering cross section may easily be determined using these tables in conjunction with the easily measurable parameters  $P_R$ ,  $P_{RS}$ , and  $\sigma_s$ . The tables are accurate to within about 5% and can even be used with pencil beam antennas with a gain function which varies somewhat from the mathematical model used here, since, in most cases, a high degree of accuracy in the determination of  $\sigma_0$  is neither practical or attainable.